Mr. SPEAKER.—That is a different matter.

Sri B. NARAYANASWAMY.—I am helpless, sir.

Mr. SPEAKER.—There is one question of Sri Mulka Govinda Reddy. The Member is not here.

(*Sri Swamidurai rose.*)

Sri H. M. CHANNABASAPPA.—His question may be taken up a little later when the Chief Minister comes.

Electrification of Mandya Koppal, and other villages.

Q.—138. Sri K. PUTTASWAMY (Srirangapatna).—

Will the Government be pleased to state :—

(*a*) whether the estimates for electrification of the villages of Mandya Koppal, Mahadevipura, Vadiyandahalli and Gamanahalli of Srirangapatna taluk are prepared and sanctioned by Government ;

(*b*) what is the expected return from each of these villages on the estimated cost ;

(*c*) whether the load survey forms have been sent by the Deputy Commissioner for the abovementioned villages ; if not, the reasons for the delay ;

(*d*) since when the applications of the abovementioned villages are pending with the electrical department ;

(*e*) the reasons for not taking up the work so far ?

A.—Sri H. M. CHANNABASAPPA (Minister for Industries).—

(*a*) Estimates have been prepared for all villages except Mandya Koppal. That pertaining to Gamanahalli has been sanctioned.

(*b*) Mahadevipura ... 11 per cent.
Vadiyandahalli ... 10·5 ,,
Gamanahalli .. 8·4 ,,

(*c*) Yes.

(*d*) Mahadevipura ... 1953
Vadiyandahalli ... 1953
Mandya Koppal ... January 1956

(*e*) The work pertaining to Gamanahalli will be taken up shortly. The estimates for the other two villages of Mahadevipura and Vadiyandahalli are being finalised. The estimate for Mandya Koppal has to be prepared after completing the investigation.

Sri K. PUTTASWAMY.—May I know the date of preparing the estimates for the first two villages, namely, Mahadevipura and Vadiyandahalli ?

*Sri H. M. CHANNABASAPPA.—1954.

Sri K. PUTTASWAMY.—The year consists of 12 months. May I know the month ?

Sri H. M. CHANNABASAPPA.—I have not got information about the exact month ?

Sri K. PUTTASWAMY.—What is the difficulty in sanctioning the estimates though they were prepared in the year 1954 ?

Sri H. M. CHANNABASAPPA.—The load survey forms have got to be countersigned and sent to the Deputy Commissioner and the delay in sanctioning is mostly due to that.

Sri K. PUTTASWAMY.—May I know what was the chief difficulty in completing the load survey forms in the office of the Deputy Commissioner ?

Sri H. M. CHANNABASAPPA.—It is not the Deputy Commissioner who prepares the load survey forms. It is the parties, the village panchayets, and they have got to be scrutinised by the Amildar and certified and thereafter the Deputy Commissioner has got to countersign.

Sri K. PUTTASWAMY.—I said completion and not preparation. Has it come to the notice of the Government that there has been a lot of delay in the office of the Deputy Commissioner even after the receipt of load survey forms ?

Sri H. M. CHANNABASAPPA.—If the forms are prepared correctly they will be countersigned automatically. If the panchayets have no funds and if they simply pass a resolution and fill in the forms and send them, naturally they have got to be delayed.

Sri K. PUTTASWAMY.—The answers given are not satisfactory. I am making a positive statement saying that there has been a lot of delay in the office of the Deputy Commissioner in the matter of finalising these load survey forms. Will the Government kindly look into this aspect of the question ?

Sri H. M. CHANNABASAPPA.—If the forms are pending in the office of the Deputy Commissioner and if they are received in proper form, they will be examined.

Sri K. PUTTASWAMY.—May I know whether there was a requisition from the representative of the area to the Minister concerned about two years ago in respect of the complaints by these villages that the forms are not being properly attended to in the office of the Deputy Commissioner ?

Sri H. M. CHANNABASAPPA.—I do not remember exactly. Anyway the matter will be verified and the Hon'ble Member will be informed about the cause of the delay.

Sri K. PUTTASWAMY.—In respect of Mandya Koppal, will the Government kindly verify whether the information given is correct ? There has been an application, properly filled much earlier.

Sri H. M. CHANNABASAPPA.—The question is pendency of estimates pertaining to Mandya Koppal with the Superintendent of Power of Light. The Superintendent has been in receipt of the forms and the applications were completed on 14-2-1956.

Power Supply to I.P. sets in Gudibanda and Bagepalli Taluks.

Q.—193. Sri B. V. NARAYANA REDDY (Bagepalli-Gudibanda).—

Will the Government be pleased to state :—

(*a*) how many applications were received for the last three years from the raiyats of Gudibanda and Bagepalli Taluks for power supply for I.P. sets ;

(*b*) how many were sanctioned ;

(*c*) how many are still pending and where pending ?

A.—Sri H. M. CHANNABASAPPA (Minister for Industries).—

(*a*) Bagepalli Taluk	...	128
Gudibanda Taluk	...	25
(*b*) Bagepalli	...	93
Gudibanda	...	5

(*c*) Bagepalli Taluk.—

No. of Applications.	*Where pending.*
29 applications at Gulur and Maraganakunte.	Pending in the Section.
3 at Pathabagepalli	... Do
3 at Narepally	... Do

Gudibanda Taluk.—

20 I.P. sets Bachaganahalli and Bommenahalli.	Pending with Chief Electrical Engineer.

Sri B. V. NARAYANA REDDY.—May I know the number of places in Bagepalli Taluk where pump sets have been given ?

*Sri H. M. CHANNABASAPPA.—The names are not before me.

Sri B. V. NARAYANA REDDY.—Can you give at least the number of places where power has been sanctioned ?

Sri H. M. CHANNABASAPPA.—Out of 95 cases which have been sanctioned, 53 were sanctioned in February 1956 and in respect of the remaining 45 some are serviced and some are nearing completion.

Sri B. V. NARAYANA REDDY.—There are only 9 sets working today.

Sri H. M. CHANNABASAPPA.—I have given you the information. Out of 98 sanctioned, 53 were sanctioned only in February 1956 and out of the remaining 45, some are serviced and some are nearing completion.

9 A.M.

Sri B. V. NARAYANA REDDY.—What is exactly the number of pumps which are working and the quantity of power supplied to these pumps ?

Sri H. M. CHANNABASAPPA.—Those details I have not got with me. Anyway all the 53 are nearing completion.